

Message Text

CONFIDENTIAL

PAGE 01 STATE 139868

60

ORIGIN EB-07

INFO OCT-01 CIAE-00 COME-00 DODE-00 NSAE-00 TRSE-00 EUR-12

ERDA-05 ISO-00 /025 R

DRAFTED BY EB/ITP/EWT:JMGREGORYJR
APPROVED BY EB/ITP/EWT:JMGREGORYJR
COMMERCE/OEA:JMGREGORYJR FOR CFS
DOD/OASD:DLSCHROEDER
RPE

----- 040517

P 140219Z JUN 75

FM SECSTATE WASHDC

TO USMISSION OECD PARIS PRIORITY

C O N F I D E N T I A L STATE 139868

EXCON

E.O. 11652: XGDS-1

TAGS: ESTC, COCOM

SUBJECT:COCOM LIST REVIEW - IL 1560-62 INDUCTIVE AND CAPAC-
ITIVE ELEMENTS/TANTALUM CAPACITORS

REF: COCOM DOC REV (74) 1560/3: 1562/3

1. DEL MAY TAKE THE FOLLOWING POSITION:

(A) DEL MAY CONCUR IN THE COMBINATION OF THE TWO ITEMS, BUT
IN RECOGNITION OF THE CHANGE, US AUTHORITIES BELIEVE THAT
THE APPROPRIATE HEADING SHOULD BE "PASSIVE COMPONENTS AS
FOLLOWS:"

(B) DEL SHOULD PRESENT"(A) MONOLITHIC CERAMIC CAPACITORS
RATED FOR OPERATION OVER THE WHOLE RANGE OF AMBIENT TEMPERA-
TURES FROM BELOW MINUS 45DEGREES CELSIUS TO ABOVE PLUS 100
DEGREES CELSIUS."

(C) DEL SHOULD PRESENT"(B) TANTALUM ELECTROLYTIC CAPACITOR
S RATED FOR OPERATION AT AMBIENT TEMPERATURES EXCEEDING 125

CONFIDENTIAL

CONFIDENTIAL

PAGE 02 STATE 139868

DEGREES CELSIUS, EXCEPT SINTERED ELECTROLYTIC TYPES HAVING

A CASING MADE OF EPOXY RESIN OR WHICH ARE SEALED OR COATED WITH EPOXY RESIN."

(D) DEL SHOULD PRESENT "(C) OTHER CAPACITORS RATED FOR OPERATION AT AMBIENT TEMPERATURES BELOW MINUS 50 DEGREES CELSIUS A OR ABOVE PLUS 200 DEGREES CELSIUS."

(E) DEL SHOULD PRESENT "NOTE: GOVERNMENTS MAY PERMIT, AS

ADMINISTRATIVE EXCEPTIONS, THE SHIPMENT OF MONOLITHIC CERAMIC CAPACITORS EMBARGOED BY THIS ITEM THAT ARE RATED FOR OPERATION AT AMBIENT TEMPERATURES NOT EXCEEDING 125 DEGREES CELSIUS FOR USE IN CIVIL EQUIPMENT APPLICATIONS"

2. MONOLITHIC CAPACITORS ARE CERAMIC CAPACITORS WITH MORE THAN ONE CERAMIC LAYER, I.E., MULTIPLE LAYERED CERAMIC CAPACITORS. (THESE USUALLY CONSIST OF SEVERAL INTERWOVEN LAYERS OF CERAMIC AND METAL.) THE EFFECT OF THIS PROPOSAL IS TO FREE FROM EMBARGO COMMERCIAL GLASS ENAMEL, CERAMIC GLASS, CERAMIC, MICA, PAPER AND METALLIZED PAPER CAPACITORS PRESENTLY EMBARGOED BY 1560 (A). IN ADDITION, IT WOULD FREE ALL TRANSFORMERS, CHOKES, RELAYS, ETC. INTELLIGENCE INDICATES THAT NONE OF THE COMMUNIST COUNTRIES PRODUCE MONOLITHIC CERAMIC CAPACITORS WHICH WERE DEVELOPED FOR MILITARY PURPOSES AND ARE COSTLY AND CONSEQUENTLY NOT USED AS MUCH IN CIVIL AS IN MILITARY APPLICATIONS. MANUFACTURE REQUIRES UNIQUE CONSTRUCTION TECHNOLOGY NOT IN BLOC POSSESSION AND IS IMPORTANT BECAUSE IT YIELDS HIGHER CAPACITANCE IN SMALLER SIZE.

3.(B) IS IDENTICAL TO THE UK AND JAPANESE PROPOSALS RE TANTALUM CAPACITORS AND USE OF THE WORD "RATED" RESOLVES THE PRINCIPAL DIFFICULTY WHICH THE COMMITTEE HAS HAD WITH THE EXISTING DEFINITION. COVERAGE IS DIRECTED TOWARD TECHNOLOGY CONTROL WHILE ALLOWING FREE SHIPMENT OF DEVICES.

4. (C) SIMILARLY ACCORDS WITH THE UK/JAPANESE COMPROMISE PROPOSALS ON THESE ITEMS. IT ESTABLISHES A LOWER THRESHOLD WHICH IS BELIEVED TO BE NECESSARY TO DIFFERENTIATE COMMERCIAL CAPACITORS FROM THOSE WHICH ARE SPECIALLY DESIGNED AND ARE IN THE AREA OF MILITARY SPECIFICATIONS. (NOTE: DEL IS AUTHORIZED A FALLBACK TO MINUS 55 DEGREES CELSIUS, WHICH IS THE USUAL STANDARD, AS NECESSARY.)

CONFIDENTIAL

CONFIDENTIAL

PAGE 03 STATE 139868

4. RECOGNIZE THAT THE OTHER DELS WILL REACT NEGATIVELY TO A REFORMULATION OF WHAT THEY HAVE ALREADY PRESENTED BUT THE ALTERNATIVE OF RESPONDING TO PROPOSALS SPREAD OVER THREE ITEMS WITHOUT PRESENCE OF TECHNICAL ADVISORS MIGHT HAVE BEEN OVERWHELMING. DEL SHOULD NOTE THAT WE BELIEVE THE UK PURPOSE IN PLACING A TEMPERATURE PARAMETER IN ITS (B) OF 1560/2 IS MET BY OUR ACCEPTANCE OF THE TECHNICAL WORKING

GROUP DEFINITION OF POTENTIOMETERS IN L568 (G). KISSINGER

CONFIDENTIAL

NNN

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 JAN 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: ELECTRONIC EQUIPMENT, EXPORT LICENSES
Control Number: n/a
Copy: SINGLE
Draft Date: 14 JUN 1975
Decaption Date: 01 JAN 1960
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Authority: GarlanWA
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 28 MAY 2004
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1975STATE139868
Document Source: CORE
Document Unique ID: 00
Drafter: JMGREGORYJR
Enclosure: n/a
Executive Order: X1
Errors: N/A
Film Number: D750207-0801
From: STATE
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1975/newtext/t19750648/aaaabrsl.tel
Line Count: 116
Locator: TEXT ON-LINE, ON MICROFILM
Office: ORIGIN EB
Original Classification: CONFIDENTIAL
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 3
Previous Channel Indicators: n/a
Previous Classification: CONFIDENTIAL
Previous Handling Restrictions: n/a
Reference: 75 COCOM DOC REV (71560/3; 75 1562/3
Review Action: RELEASED, APPROVED
Review Authority: GarlanWA
Review Comment: n/a
Review Content Flags:
Review Date: 20 MAY 2003
Review Event:
Review Exemptions: n/a
Review History: RELEASED <20 MAY 2003 by GarlanWA>; APPROVED <30 MAY 2003 by GarlanWA>
Review Markings:

Margaret P. Grafeld
Declassified/Released
US Department of State
EO Systematic Review
06 JUL 2006

Review Media Identifier:
Review Referrals: n/a
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
Secure: OPEN
Status: NATIVE
Subject: OCOM LIST REVIEW - IL 1560-62 INDUCTIVE AND CAPACITIVE ELEMENTS/TANTALUM CAPACITORS
TAGS: ESTC, COCOM
To: OECD PARIS
Type: TE
Markings: Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 06 JUL 2006